





PRODUCING STREAMLINE TUBE PROFILES IN HOUSE

HIGH QUALITY AND FAST PRODUCTION TURNAROUNDS

CURRENT TOOLING (NOMINAL SIZES)			
SHAPE	M AJOR	M INOR	ROUND
STREAMLINE	0.450"	0.270"	.375"
STREAMLINE	0.550"	0.295"	.438"
STREAMLINE	0.640"	0.325"	.500"
STREAMLINE	0.775"	0.430"	.625"
EGG SHAPE	0.750"	0.440"	.625"
EGG SHAPE	0.865"	0.575"	.750"
STREAMLINE	0.980"	0.445"	.750"
STREAMLINE	1.150"	0.520"	.875″
STREAMLINE	1.300"	0.600"	1.00"
*OVAL	1.245"	0.925"	1.125"
*OVAL	1.360"	1.065"	1.25"
STREAMLINE	1.645"	0.740"	1.25"
STREAMLINE	1.990"	0.870"	1.50"
STREAMLINE	2.360"	0.960"	1.75"
STREAMLINE	2.665"	1.140"	2.00"

CAN BE PRODUCED IN THE FOLLOWING MATERIALS

4130 CHROME MOLY

DOCOL TUBE R8

STAINLESS STEEL

6061-T6 ALUM INUM

TITATINUM

Advantage over traditional streamline tube:

Consistent and repeatable shape

Straighter

Choice of wall thickness

*DENOTES SLIP FIT CAPABILITY

WALL THICKNESS .032" to .065"

SUBJECT TO AVAILABILITY OF ROUND MATERIAL FOR PRICING AND TECHNICAL DETALIS PLEASE CONTACT A.E.D.



317-334-0569 888-413-0233 <u>sales@aedmetals.com</u>



CURRENTLY PRODUCING PROFILES FOR USE IN:



RACE CAR SUSPENSION, TOP FUEL WING STRUTS, AIRCRAFT AND MARINE APPLICATIONS